



# G-Series 2.5T Diesel Forklift 3000mm Lift Height With Xinchai And Yanmar Engine

## **Basic Information**

Place of Origin: China
Brand Name: goodsense
Minimum Order Quantity: Negotiable
Price: Negotiable
Packaging Details: Bare packaging
Delivery Time: 30-40work days

Payment Terms: T/T



# **Product Specification**


Series: G-series
Lift Height: 3000mm
Place Of Origin: China
Brand Name: Goodsense
Name: Forklift
Condition: New

 Energy Supply: Reference Introduction
 Advantage: Small Vibration And Noise
 Highlight: G-series 2.5 t diesel forklift, 3000mm 2.5 tonne forklift, 2.5 t diesel forklift for sale

#### 2.5T Diesel Forklift With Xinchai And Yanmar Engine

#### **DIESEL FORKLIFT**

#### **G-SERIES DIESEL FORKLIFT 2.0-2.5 TON** Model FD20 FD25 FD20 FD25 General 2 Power Type Diesel Diesel Diesel Diese 3 Rated Capacity 2000 2500 2000 2500 Load Centre 500 500 500 500 5 Lift Height 3000 3000 3000 3000 6 Fork Size L×W×T 1070x120x40 1070x120x40 1070x120x40 1070x120x40 Mast Tilt Angle Deg 6"/12" 6"/12" 6"/12" 6"/12" Characreristic&Dimension Front Overhang (Wheel center to fork face) R 470 470 470 470 9 Ground Clearance (Bottom of mast) 120 120 120 120 10 Length to face of fork(Without fork) 2600 2600 2600 2600 11 Overall Width 1150 1150 1150 1150 12 Overall Dimension Mast Lowered Height 2055 2055 2055 13 Mast Extended Height(With backrest) 4050 4050 4050 4050 14 Overhead Guard Height 2070 2070 2070 2070 15 Turning Radius (outside) 2300 2300 2300 2300 16 Min, insecting aisle 2380 2380 2380 2380 17 Travel (Empty load) km/h 19 19 19 19 Speed 18 Lifting(Full load) 520 550 520 25 19 Max.Gradeability 25 25 25 20 Front 7.00-12-12 PR 7.00-12-12 PR 7.00-12-12 PR 7.00-12-12 PR Tire Chassis Rear 21 6.00-9-10 PR 6.00-9-10 PR 6.00-9-10 PR 6.00-9-10 PR 22 Wheelbase mm 1600 1600 1600 1600 23 Service weight kg 3560 3700 3560 3700 Battery Voltage/Capacity 12/80 12/80 12/80 12/80 25 Model A498BT5 4TNE92 26 Manufacture XINCHAI YANMAR Power& Transimission 27 Rated output/r.p.m. 38/2400 33/2450 28 189/1600-1800 Rated torque/r.p.m N-m 136-150/1500-1700 Engine 29 No.of Cylinder 4 30 Bore×Stroke 98×105 mm 92×100 31 Displacement 3168 cc 32 Fuel Tank Capacity 60 60 60 33 Type Power Shift with torque converter Transmission 34 Stage FWD/RVS 1/1 1/1 1/1 1/1 35 Mpa Operating Pressure for Attachment 17.5 17.5 17.5 17.5



### G-SERIES 2.0-2.5 TON DIESEL FORKLIFT MAST

Туре	Model	Lift Height (mm)	Load Capacity (kg)		Overall Height (mm) 2.0-2.5t			Free Lift (mm) 2.0-2.5t		Tilt Angle
					2.01	2.91	Lowered	With Backrest	Without Backrest	With Backrest
			Wide view 2-stage mast	M200	2000	2000	2500	1555	2960	2550
M250	2500	2000		2500	1800	3460	3050			8/12
M300	3000	2000		2500	2055	3960	3650			6/12
M350	3300	2000		2500	2205	4260	3850			6/12
M350	3500	2000		2500	2305	4460	4050	50		6/12
M370	3700	2000		2500	2405	4660	4250	-		6/12
M400	4000	2000		2500	2605	4960	4550			6/12
M450	4500	1800*1900		2150"2400	2855	5460	5050	-	-	6/6
M500	5000	1600*1700		1700*2200	3105	5960	5550	-		6/6
MS50	5500	1500*1600		1550*1950	3405	6460	6050	-		3/6
M600	6000	950*1300		1000*1800	3655	6960	6550		-	3/6
Full free 2-stage mast	Z200	2000	2000	2500	1555	3075	2660	510	930	6/12
	Z250	2500	2000	2500	1805	3575	3160	760	1180	6/12
	Z300	3000	2000	2500	2055	4075	3660	1010	1430	6/12
	Z330	3300	2000	2500	2205	4375	3960	1160	1580	6/12
	Z350	3500	2000	2500	2305	4675	4160	1260	1680	6/12
	Z370	3700	2000	2500	2405	4775	4360	1360	1780	6/12
	Z400	4000	2000	2500	2605	5075	4660	1560	1980	6/12
Full free 3-stage mast	5370	3700	2000	2500	1790	4770	4355	745	1100	676
	\$400	4000	1900	2400	1890	5070	4655	845	1260	6/6
	8435	4350	1850*1900	2200*2400	2005	5420	5005	960	1375	6/6
	5450	4500	1750*1800	2150*2300	2056	5570	5155	1010	1425	676
	8480	4800	1700*1800	1950*2300	2155	5870	5455	1110	1625	676
	8500	5000	1550*1750	1750*2250	2225	6070	5655	1180	1595	676
	5550	5500	1400*1700	1500*2150	2440	6570	6155	1400	1815	3/6
	5600	6000	900*1600	1000*1800	2605	7070	6655	1570	1985	3/6





Taizhou Ruidong Import and Export Co., Ltd



18367688514



gjq\_0208@163.com



e rdforklift.com