



## Goodsense high quality LPG forklift truck 4ton 4.5ton 5ton small gasoline lpg forklift price with side shifter

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Goodsense
- Model Number: FG45
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Bare packaging
- Delivery Time: 30-40work days
- Payment Terms: T/T



#### Product Specification

- Model Number: FG40 FG45 FG50
- Rated Loading Capacity: 4 TON 4.5 Ton 5 Ton
- Core Components: Motor, Pump, Gearbox, Engine
- Weight (KG): 6400 Kg
- Fork Length: 1070mm
- Fork Width: 150mm
- Overall Dimensions: 3260\*1460\*2270mm
- Service Weight: 6400kg
- Place Of Origin: China
- Brand Name: Goodsense
- Name: Forklift
- Condition: New
- Energy Supply: Reference Introduction
- Advantage: Small Vibration And Noise
- Highlight: goodsense diesel forklift truck,



*Product Description*

Our Product Introduction

for more products please visit us on [rdforklift.com](http://rdforklift.com)

| Model                           |             |      | FG40        | FG45        | FG50        |
|---------------------------------|-------------|------|-------------|-------------|-------------|
| Rated load                      |             | kg   | 4000        | 4500        | 5000        |
| Load center distance            |             | mm   | 500         | 500         | 500         |
| Lift Height                     |             | mm   | 3000        | 3000        | 3000        |
| Fork size(L×W×T)                |             | mm   | 1070×150×50 | 1070×150×50 | 1070×150×50 |
| Mast tilt angle(FR/RR)          |             |      | 6/12        | 6/12        | 6/12        |
| Min. ground clearance           |             | mm   | 138         | 150         | 150         |
| Height of overhead guard        |             | mm   | 2140        | 2340        | 2340        |
| Maximum travel speed(Full load) |             | km/h | 19          | 2340        | 2340        |
| Maximum lift speed(Full load)   |             | mm/s | 431         | 400         | 400         |
| Gradeability                    |             | 0    | 15          | 20          | 20          |
| Overall length(Without forks)   |             | mm   | 2950        | 3260        | 3260        |
| Overall width                   |             | mm   | 1410        | 1460        | 1460        |
| Mast height                     |             | mm   | 2125        | 4165        | 4165        |
| Tires                           | Front wheel |      | 250-15-16PR | 300-15-18PR | 300-15-18PR |

|                    |                     |          |              |              |              |
|--------------------|---------------------|----------|--------------|--------------|--------------|
|                    | Rear wheel          |          | 6.50-10-10PR | 7.00-12-12PR | 7.00-12-12PR |
| Wheelbase          |                     | mm       | 1900         | 2100         | 2100         |
| Self weigh         |                     | Kg       | 5160         | 6400         | 6400         |
| Battery            | Voltage/capacity    | V/Ah     | 12/80        | (12/80)x2    | (12/80)x2    |
| Engine             | Rated output        | kw/r.p.m | 46/2800      | 76/2300      | 76/2300      |
|                    | Rated torque        | Nm/t.p.m | 168/1800     | 324/1700     | 324/1700     |
|                    | Bore x stroke       | mm       | 91x86        | 101.6x88.4   | 101.6x88.4   |
|                    | Number of cylinders |          | 4            | 6            | 6            |
| Fuel tank capacity |                     | L        | 66           | 125          | 125          |



**Taizhou Ruidong Import and Export Co., Ltd**



18367688514



gjg\_0208@163.com



rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China